

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Pure Oil 1000mg

Sample ID: G1K0386-03

Matrix: Hemp Products

Test ID: 5021021

Source ID: Batch # 21-1118-1

Date Sampled: 11/23/21 Date Accepted: 11/23/21

Mission Farms CBD

Results at a Glance

Total THC: 0.1465 %

Total CBD: 3.381 %





Eric Wendt Chief Science Officer - 11/24/2021



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Pure Oil 1000mg

Sample ID: G1K0386-03

Matrix: Hemp Products

Test ID: 5021021

Source ID: Batch # 21-1118-1

Date Sampled: 11/23/21 Date Accepted: 11/23/21

Mission Farms CBD

Potency Analysis Analysis Method/SOP: 215 Date/Time Extracted: 11/23/21 13:12 Batch Identification: 2148020 **Cannabinoids Profile** Cannabinoids LOQ (%) mg/g mg/unit **Total THC** 0.0938 42.5 1.465 Total CBD 0.0978 33.81 980 0.2 THCA 0.0031 < LOQ < LOQ 0.1 delta 9-THC 42.5 0.0031 1.465 THCV 0.0920 < LOQ < LOQ < LOQ THCVA 0.1377 < LOQ CBD 0.0031 33.81 980 **CBDA** 0.0031 < LOQ < LOQ CBDV 0.0947 < LOQ < LOQ delta 9-THC 0.1 **CBDVA** 0.1300 < LOQ < LOQ CBD 3.4 CBC 0.2 CBN 0.0850 < LOQ < LOQ Total: 3.7 CBG 0.0989 < LOQ < LOQ **CBGA** 0.1311 < LOQ < LOQ

Unit weight = 29g g as provided by client

0.1240

CBC

Total THC = delta 9-THC + (THCA * 0.877) Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

 $\label{lowest} \mbox{LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.}$





Eric Wendt

50.1

1.728

Chief Science Officer - 11/24/2021



12025 NE Marx St. Portland, OR 9/220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Quality Control Potency

Batch: 2148020 - 215-Products

Blank(2148020-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0005	%		11/23/21 13:12	11/23/21 21:20	
delta 9-THC	< LOQ	0.0005	%		11/23/21 13:12	11/23/21 21:20	
THCV	< LOQ	0.0150	%		11/23/21 13:12	11/23/21 21:20	
THCVA	< LOQ	0.0224	%		11/23/21 13:12	11/23/21 21:20	
CBD	< LOQ	0.0005	%		11/23/21 13:12	11/23/21 21:20	
CBDA	< LOQ	0.0005	%		11/23/21 13:12	11/23/21 21:20	
CBDV	< LOQ	0.0154	%		11/23/21 13:12	11/23/21 21:20	
CBDVA	< LOQ	0.0212	%		11/23/21 13:12	11/23/21 21:20	
CBN	< LOQ	0.0138	%		11/23/21 13:12	11/23/21 21:20	
CBG	< LOQ	0.0161	%		11/23/21 13:12	11/23/21 21:20	
CBGA	< LOQ	0.0213	%		11/23/21 13:12	11/23/21 21:20	
CBC	< LOQ	0.0202	%		11/23/21 13:12	11/23/21 21:20	

Reference(2148020-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
delta 9-THC	90.3	0.0005	%	80-120	11/23/21 13:12	11/23/21 21:43	
CBD	97 7	0.0005	%	80-120	11/23/21 13:12	11/23/21 21:43	





Eric Wendt Chief Science Officer - 11/24/2021



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

ATM	Non-cannabis matrix related interference	or suppression of Internal standard

- BLI Baseline Interference Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
- BLK Analyte detected in method blank, but not associated samples.
- BSH Blank Spike High Blank Spike recovery above method limit. no detections in samples.
- BSL Blank Spike Low Blank Spike recovery below lower method limit, analyte chromatography reviewed
- manually for all samples.
- CBD Interference due to co-elution
- CV1 CBD matrix interference on GC Pest chromatography
- CV2 CCV was above acceptance criteria, Non-detect samples are considered acceptable.
- INF CCV was below acceptance criteria, sample still exceeds regulatory limit.
- ISH One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
- ISL Internal Standard concentration is above acceptance criteria.
- MSH Internal Standard concentration is below acceptance criteria.
- MSI Matrix Spike High Matrix Spike recovery above method limits.
- MSL Matrix Spike Interference Matrix spike source sample contains analyte hit above calibration affecting
- TPP recovery accuracy in Matrix Spike.
- U Matrix Spike Low Matrix Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
 - Internal Standard concentration outside control limit due to matrix interference

4= --

Eric Wendt Chief Science Officer - 11/24/2021