

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

600mg CBD Balm Stick

Sample ID: G2K0340-01

Matrix: Hemp Products

Test ID: 5026186

Source ID: Lot # 221121-D-MF1

Date Sampled: 11/22/22 Date Accepted: 11/22/22

Mission Farms CBD

ben@missionfarmscbd.com

Results at a Glance

Total THC: 0.1602 %

Total CBD: 2.110 %





Eric Wendt Chief Science Officer - 11/30/2022



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

600mg CBD Balm Stick

Sample ID: G2K0340-01 Matrix: Hemp Products

Test ID: 5026186

Source ID: Lot # 221121-D-MF1

Date Sampled: 11/22/22 Date Accepted: 11/22/22

Mission Farms CBD

ben@missionfarmscbd.com

Potency Analysis

Analysis Method/SOP: 215 Batch Identification: 2249012 Date/Time Extracted: 11/29/22 09:30 **Cannabinoids Profile** Cannabinoids mg/unit LOQ (%) mg/g **Total THC** 0.0020 1.602 45.7 Total CBD 0.0020 21.1 601 0.1 THCA 0.0020 1.06 30.2 1.3 0.1 delta 9-THC 0.0020 0.672 19.2 0.1 delta 8-THC 0.0754 < LOQ < LOQ THCV 0.0588 < LOQ < LOQ **THCVA** 0.0880 < LOQ < LOQ CBD 0.0020 21.1 601 **CBDA** < LOQ < LOQ 0.0020 THCA 0.1 **CBDV** 0.0605 < LOQ < LOQ delta 9-THC 0.1 CBD 2.1 **CBDVA** 0.0831 < LOQ < LOQ **CBG** 1.3 CBC 0.1 **CBN** 0.0543 < LOQ < LOQ Total: CBG 0.0632 12.58 359 CBGA 0.0838 < LOQ < LOQ 2.1 CBC 0.0793 1.027 29.3

Unit weight = 28.5 g as provided by client

Total THC = delta 9-THC + (THCA * 0.877) Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

 $\label{lowest} \mbox{LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.}$





Eric Wendt Chief Science Officer - 11/30/2022



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

Quality Control Potency

Batch: 2249012 - 215-Products

Blank(2249012-BLK1)								
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes	
THCA	< LOQ	0.0040	%		11/29/22 09:30	11/29/22 14:13		
delta 9-THC	< LOQ	0.0040	%		11/29/22 09:30	11/29/22 14:13		
delta 8-THC	< LOQ	0.1519	%		11/29/22 09:30	11/29/22 14:13		
THCV	< LOQ	0.1185	%		11/29/22 09:30	11/29/22 14:13		
THCVA	< LOQ	0.1774	%		11/29/22 09:30	11/29/22 14:13		
CBD	< LOQ	0.0040	%		11/29/22 09:30	11/29/22 14:13		
CBDA	< LOQ	0.0040	%		11/29/22 09:30	11/29/22 14:13		
CBDV	< LOQ	0.1220	%		11/29/22 09:30	11/29/22 14:13		
CBDVA	< LOQ	0.1675	%		11/29/22 09:30	11/29/22 14:13		
CBN	< LOQ	0.1095	%		11/29/22 09:30	11/29/22 14:13		
CBG	< LOQ	0.1274	%		11/29/22 09:30	11/29/22 14:13		
CBGA	< LOQ	0.1689	%		11/29/22 09:30	11/29/22 14:13		
CBC	< LOQ	0.1598	%		11/29/22 09:30	11/29/22 14:13		

Reference(2249012-SRM1)								
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes	
THCA	95.6	0.0100	%	90-110	11/29/22 09:30	11/29/22 14:36		
delta 9-THC	99.5	0.0100	%	90-110	11/29/22 09:30	11/29/22 14:36		
delta 8-THC	103	0.3841	%	90-110	11/29/22 09:30	11/29/22 14:36		
CBD	99.8	0.0100	%	90-110	11/29/22 09:30	11/29/22 14:36		
CBDA	95.2	0.0100	%	90-110	11/29/22 09:30	11/29/22 14:36		







12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

ATM	Non-cannabis matrix related interference or suppression of Internal standard
BLI	Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery.
BLK	Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.

Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

manually for all samples.

Internal Standard concentration outside control limit due to matrix interference



