

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

#### Relieve 2400mg Muscle Gel

Sample ID: G3E0282-01

Matrix: Hemp Products

Test ID: 5025002

Source ID: LOT: MFG-2305

**Date Sampled:** 05/19/23

Date Accepted: 05/19/23

Mission Farms CBD

ben@missionfarmscbd.com

#### **Results at a Glance**

Total THC: <LOQ (0.0128%) %

Total CBD: 2.238 %





Eric Wendt Chief Science Officer - 5/22/2023



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

#### Relieve 2400mg Muscle Gel

Sample ID: G3E0282-01

Matrix: Hemp Products

Test ID: 5025002

Source ID: LOT: MFG-2305

Date Sampled: 05/19/23 Date Sampled: 05/19/23

Date Accepted: 05/19/23

Mission Farms CBD

ben@missionfarmscbd.com

2.2 2.2

#### **Potency Analysis by HPLC**

Date/Time Extracted: 05/20/23 12:22 Analysis Method/SOP: 215 Batch Identification: 2320082

				. / /	
Cannabinoids	LOQ (%)	mg/g	mg/unit	Ca	annabinoids Profile
Total THC	0.0128	< LOQ	< LOQ		
Total CBD	0.0128	22.38	2550		
THCA	0.0128	< LOQ	< LOQ		
delta 9-THC	0.0128	< LOQ	< LOQ	1	
delta 8-THC	0.4932	< LOQ	< LOQ		
THCV	0.3849	< LOQ	< LOQ		
THCVA	0.5760	< LOQ	< LOQ		
CBD	0.0128	22.38	2550		
CBDA	0.0128	< LOQ	< LOQ	\	_
CBDV	0.3960	< LOQ	< LOQ		•
CBDVA	0.5439	< LOQ	< LOQ	X	
CBN	0.3556	< LOQ	< LOQ		
CBG	0.4137	< LOQ	< LOQ	$\downarrow II$	
CBGA	0.5483	< LOQ	< LOQ	2.2	
CBC	0.5190	< LOQ	< LOQ		

Unit weight = 114 g as provided by client

Total THC = delta 9-THC + (THCA \* 0.877) Total CBD = CBD + (CBDA \* 0.877)

Total CBG = CBG + (CBGA \* 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.





Eric Wendt

Chief Science Officer - 5/22/2023



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

# Quality Control Potency

Batch: 2320082 - 215-Products

Blank(2320082-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0078	%		05/20/23 12:22	05/20/23 16:52	
delta 9-THC	< LOQ	0.0078	%		05/20/23 12:22	05/20/23 16:52	
delta 8-THC	< LOQ	0.3002	%		05/20/23 12:22	05/20/23 16:52	
THCV	< LOQ	0.2343	%		05/20/23 12:22	05/20/23 16:52	
THCVA	< LOQ	0.3506	%		05/20/23 12:22	05/20/23 16:52	
CBD	< LOQ	0.0078	%		05/20/23 12:22	05/20/23 16:52	
CBDA	< LOQ	0.0078	%		05/20/23 12:22	05/20/23 16:52	
CBDV	< LOQ	0.2411	%		05/20/23 12:22	05/20/23 16:52	
CBDVA	< LOQ	0.3311	%		05/20/23 12:22	05/20/23 16:52	
CBN	< LOQ	0.2165	%		05/20/23 12:22	05/20/23 16:52	
CBG	< LOQ	0.2518	%		05/20/23 12:22	05/20/23 16:52	
CBGA	< LOQ	0.3338	%		05/20/23 12:22	05/20/23 16:52	
CBC	< LOQ	0.3159	%		05/20/23 12:22	05/20/23 16:52	

Reference(2320082-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	101	0.0098	%	90-110	05/20/23 12:22	05/20/23 17:15	
delta 9-THC	108	0.0098	%	90-110	05/20/23 12:22	05/20/23 17:15	
delta 8-THC	93.2	0.3775	%	90-110	05/20/23 12:22	05/20/23 17:15	
CBD	101	0.0098	%	90-110	05/20/23 12:22	05/20/23 17:15	
CBDA	95.7	0.0098	%	90-110	05/20/23 12:22	05/20/23 17:15	







12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

#### **Notes and Definitions**

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

ATM	Non-cannabis matrix related interference or suppression of Internal standard
BLI	Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery.
BLK	Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.

Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

manually for all samples.

Internal Standard concentration outside control limit due to matrix interference



